



ADVANCED REFINISH COMPONENTS

Technical Data Sheet

WAX & GREASE REMOVER

DESCRIPTION:

ARC Wax & Grease Remover is specially formulated to remove wax, grease, silicone, and oil from automotive surfaces prior to body repair, priming and topcoating. ARC 31001/35001 lifts potential contaminants and ensures proper adhesion when refinishing.

PRODUCT & ADDITIVES:

PRODUCT	ITEM #	SIZE
Wax & Grease Remover	31001	Gallon

COMPATIBLE SUBSTRATES:

- ◆ Bare Metal
- ◆ Properly cured 2K primer
- ◆ OEM finishes
- ◆ Properly cured topcoats

SAFETY ASPECTS:

Users should review the Safety Data Sheet (SDS) and product label for the material to be used to determine possible health hazards, appropriate engineering controls and precautions to be observed in the use of the material. Copies of the SDS and product label are available upon request.

INSTRUCTIONS



1. ARC Wax & Grease Remover should be used before and after sanding. Remove excess sanding dust with compressed air prior to application of ARC 31001.
2. Saturate a clean, lint free cloth and clean one panel at the time. Wipe surface in one direction to avoid spreading contaminants.
3. Dry panel immediately with a dry, lint free cloth. Do not allow cleaner to dry on surface.
4. If ARC Wax & Grease Remover dries on the surface, repeat application.
5. Change cloth frequently to ensure that the surface is free of all contaminants.

NOTE: Not recommended for temperatures below 60°F. Use in these temperatures will affect performance and dry times.

NOTE: Do Not use ARC Wax & Grease Remover on plastic parts because static electricity build up may cause flash fire. Use anti-static surface cleaner instead.



ADVANCED REFINISH COMPONENTS

Technical Data Sheet

WAX & GREASE REMOVER

TECHNICAL DATA



Color	Clear
Coating V.O.C.	6.21 lbs/gal (744.1 g/l)
Package	Gallon
Number per Case	4 Gallons
Shelf Life	12 months unopened

All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

DISCLAIMER: The information supplied in this document is for guidance only and should not be construed as a warranty. All implied warranties are expressly disclaimed. All users of the materials are responsible for assuring that it is suitable for their needs, environment and use. All data subject to change as Autokote Systems, LLC deems appropriate.